

SeBr²⁻₆

SeCl_6^{2-} ; TeCl_6^{2-} ; SeBr_6^{2-} ; TeBr_6^{2-} (cur. noci.) 1970

Avasthi M. N., Mehta M. L., $\frac{12}{\text{XII}} - 4$

Z. Naturforsch., 1970, A25, N°4, 566-9 (anw.)

Molecular force fields of some sele-
nium and tellurium hexahalide
ions.

40

CB, 1970, 73, N°6, 29090X

SeBr₆

Avasthi M. N.;
et al.

1971

(c. n)

"J. Quant Spectr. Rad. Transfer"
1971, 11, N10, 1583-6.

● (cm Tecl₆; III)

SeBr_6^{2-}

Abasthi M.N.,
Mehta M.L.

1971

ν_i ,
cur. n.

J. Quant. Spectrosc.
and Radiat. Transfer,
1971, 11, ~ 10, 1583.

● $(\text{Cur. SeBr}_6^{2-})_{\text{III}}$

SeBr_6^{2-}

1982

Mohan S., Mukunt-

силь. иосей, кан А.

носей. цен-
и продолженного
расеянием.

Indian J. Phys.,
[Part] B 1982, 56 B
(2), ● 91-95.

(с. TiCl_6^{2-} ; III)