

S_3, S_3^+
 S_3^-

II-149 ;

BP-245-II

1953

$\text{re } (\text{NO}_2^-, \text{PO}_2^-, \text{AsO}_2^-, \text{SbO}_2^-, \text{PS}_2^-, \text{O}_3, \text{OS}_2, \text{SO}_2, \text{SeO}_2, \text{TeO}_2, \text{S}_3, \text{SeS}_2, \text{TeS}_2, \text{CO}_2^-, \text{ClO}_2^+)$

Potier A.

J.chim.phis.et phis.-chim.biol., 1953,
50, N I, 10-21 (франц.)

Structures compareis d'isotéres.
II. Isotéres telsque NO_2 , O_3 , et SO_3 .
PX, 1953, N I, 7I.

J (S₂, S₃, S₄, S₅, S₆, ¹²S₇, S₈) ¹⁸⁶⁸

Bernowitz F., Lifshitz C. ^{XII 17}

J. Chem. Phys., 1868, 24, 110, 1326-
1350 (eng)

Photoionization of high-temperature
vapor: II. Sulfur molecular
species.

Wanda 1868
10

5

in Gray, 1863, 50283

XII 1074

1972

S₃, S₄ (смерти)

Meyer B., Stroyer-Hansen T.,

Oommen T.V.

J. Mol. Spectrosc., 1972, 42,

N2, 335-343

10

S03; S2O; S3; S4; O3 (Vi) XI 3547 1973

Hopkins A. G., Tang Sheng-yuh,
Brown C. W.

J. Amer. Chem. Soc., 1973, 95, N11, 3486-
-3490 (ann.)

Infrared and Raman spectra
of the low-temperature pro-
ducts from discharged sulfur
dioxide.

Pure Chem., 1973, 215184 10

50326.6191

41197

1975

Ch, Ph, TC

 S_3

(2.)

54-2350

Daly Francis P., Brown Chris W.

Raman spectra of sodium tetrasulfide
in primary amines. Evidence for S_4^{2-}
and S_8^{n-} in rhombic sulfur-amine solutions.
"J. Phys. Chem.", 1975, 79, N4, 350-
354

(англ.)

0326 пик

311 312

0318

ВИНИТИ

S_2^- , S_3^- , S_4^{2+} (ν_{S-S}) XII 1425 1975
Steudel R.,

Z. Naturforsch., B; Anorg. Chem.
Org. Chem., 1975, 30B (3-4), 281-2.

Determination of S-S bond
distances from vibrational
spectra.

C.A. 1975, 83 N2. 18378c. 10

⊕ 5

50407.6621

Ch, TC, DB

54970

S₃ -

1975

3172

Seel F., Güttler H.-J.

ESR-spektrometrischer Nachweis des
Polysulfidradikations S₃⁻. "Z. Natur-
forsch.", 1975, 30b, N 1, 88-90

(нем., рез. англ.)

0340 пик

310 310 3 3 2

ВИНИТИ

BPP-11782-48H
60309.7555

1975

Ch, Ph, TC, MGU

S₃ / Раман
спектр

45-11782

BPP-XII-1504

Tang Sheng-Yuh, Brown Chris W. Ra-
man spectrum of matrix-isolated S₂O. Evi-
dence for the formation of S₃ and SO₂
from S₂O. "Inorg. Chem.", 1975, 14,
N 11, 2856-2858 (англ.)

(ан. S₂O; III)

0566 ЛМК

552 552

558

ВИНИТИ

S₂⁻
S₃⁻

1976

Cotton F. Albert.

J. Am. Chem Soc 1976,
98 (6) 1417-24 (eng)

Kb. mex.

pacrim.

(cu S₂⁻; III)