

Biblio

BiOCl, BiOBr, BiO<sub>2</sub>Y (D<sub>2</sub>) 1968  
Bonnaire, R.

b.

XIII/1602

C.R. Acad. Sei., Paris, Ser. A, B, 1968,  
266 (23), 1415-18

Infrared absorption spectra  
of bisubstituted EC halides; BiOCl,  
BiOBr, and BiO<sub>2</sub>Y

CA, 1968, 69, 114, 550-55

Bi(BiOCl, BiOBr, LaOCl, LaOBr)


Pulmont A.,

VIII 4956  
1971

C. r. Acad. Sci. , 1971, 272, N<sub>24</sub>,

B1364-65

(P)



10

BiOBr

Rulmont, A.

1972

"Spectrochim Acta"

(V<sub>i</sub>)

Part A, 1972, 28 (?), 1287-96.

● (c.u. BiOF; III)

30518.8783  
TE, Ch, Ph

BiOBr  
29932

1973

\*

Davies J.E.D.

XIII-2251

Solid state vibrational spectroscopy.

III.[1] The infrared and raman spectra of the bismuth(III) oxide halides.

"J. Inorg. and Nucl. Chem.", 1973, 35, N 5,  
1531-1534

(англ.)

0876 ник

861 864 869

ВИНИТИ