

MgBr₄

$MgCl_4^{2-}$, $MgBr_4^{2-}$, MgI_4^{2-} (vi) 9 1971
Maron V. A. № 3574

J. Chem. Phys., 1971, 55, N10, 4789-92
(austr.)

Vibrational frequencies and
force constants for tetrahedral
 MgX_4^{2-} (X = chlorine, bromine,
and iodine) in MgX_2 - X melts.

306 18.7245
Ph, Ch, TE

MgBr₄⁻ --
34469

1972

4-786

BP-IX-4207

Rai J.N.O. Rai B., Rai S.N.

On the intramolecular force fields of
MgX₄²⁻ type tetrahalides.

"Indian J. Pure and Appl. Phys.", 1972,
10, N 11, 837-838
(англ.)

С.У. Миг. О.Ч.
1972

ДАЯН ВИК

880 881

0890

ВИНИТИ

2; ($MgCl_2$, $MgBr_2$, $(MgCl_2)_2$, $(MgBr_2)_2$)
Cooke D.L., Chang C.S., Gingerich K.A.
Appl. Spectrosc., 1973, 27, n 4, 260-264
 λ (nm)

Matrix isolation infrared studies
of magnesium chloroide and mag-
nesium bromide.

Fuxu, 1974, 25209

10

④

40520.4634

Ph, Ch, TC

34469

- 02

 $MgBr_4^2$

1973

2/382

Pandey A.N., Srivastava B.B., Dublish A.K., Müller A. Force constants and mean amplitudes of vibration for some tetrahedral halide anions of group IIA. "Indian J. Pure and Appl. Phys.", 1973, 11, N 10, 782-784(англ.) 0;12 смк

095 096

ВИНИТИ

Mg Br₄²⁻

1977

Sanyal, Nitish K., et al.

Acta Cienc. Indica 1977,
3(2), 142-4.


cell. Mg Cl₄²⁻-III

MgBr₂ - Lommier 16137 1982

Mohan S., Mukunthan A.

D.N.,
Cav. nocei.,
Epigaea
Glaucom.
Korekara.

Indian J. Pure and
Appl. Phys., 1982, 20, N^o 4,
315-317.



1985

Sabapathy K.,
Ramaswamy R.

ccr. noem., Acta Cienc. Indica,
noem. уеимро- Phys. 1985, II (2),
Бенч. реcmnac. 55-7.

(ccr. $MgCl_4^{2-}$, " "



1990

Bigli F.

J. Chem. Phys. 1990.

93, N.Y. C. 5224-5229.



Copykmypa

MgB_2

1995

Ehrhardt Bete R.,
Ysteres M.

at initio
pacrem

Pi, celiykm.
napaceciper

Spectrochim. Acta,
Part A 1995, 51A(4),
699-707.



(Cer. KCl₄; \bar{m})