

Ges

УдЗ (нов)

ФВ-10061-IV 1964

~~УдЗ~~ Берман Г.А., Шмук Е.И.

Изв. АИ СССР, металлургия
и горное дело

Т-ф. 1.

298-2000 К

$$^1\Sigma, \quad \omega_e = 575,8 \text{ cm}^{-1}$$

$$\omega_e x_e = 1,80 \text{ cm}^{-1}$$

$$d = 2,09 \text{ \AA}$$

1964

9669

GeO, GeS, GeSe, GeTe, SnO, SnS,
SnSe, SnTe, PbO, PbS, PbSe, PbTe (t.i.f.)

Hirayama Ch.

J.Chem.Encl.Data., 1964, 2(1), 65-8

Thermodynamic properties ...

Be

ЕСТЬ ОРИГИН.

Review of Tephrosia 1974

Ge S₂ (2)

Ge S₂ (2)

m.g. cb-lr

298-2000

298-1000

Mills K.C.

Thermodyn. Data for Inorganic
Sulphides, Selenides and
Tellurides. Part III London:
Butterworths. 1974.

1977

GeS
GeS₂

298 - 1113 (T_h.)
1113 - 1200 (T_h.)

Barin J., et al

298 - 938 (T_h.)
938 - 1111 (T_h.)
1111 - 200 (T_h.).

max II, comp. 289-290

• (see Ag) I