W-Cu, Ag, Au

к р. № 90819.4872К

О новых "промежуточных" соединениях типа $A_4^{I}B^{VI}C_5^{VI}$. Максимова О.Г., Радауцан С.И. "Тр. Кишиневск. политехн. ин-т", 1968, вып. 12, 32-35

1123 пнк

$Ag_6I_4WO_4$

Ag_2WO_4

1985

103: 77009n **Heat capacity of silver tungstate between 80 and 500 K.** Hall, Peter G.; Armitage, David A.; Linford, Roger G. (Sch. Chem., Leicester Polytech., Leicester, UK LE1 9BH). *J. Chem. Thermodyn.* **1985**, 17(7), 657–63 (Eng). Heat-capacity measurements at const. pressure are reported for Ag tungstate at 80–500 K. A small anomaly is apparent with a max. near 276 K. Some results are also presented for the solid electrolyte $Ag_6I_4WO_4$ and these are compared with the sum of the heat capacities of the constituents (4 AgI + Ag_2WO_4) of the electrolyte.

(Cp)

C. A. 1985, 103, N10.

Au-W 1987

Vijayakumar M.,
Sriramamurthy A.M.,
et al.

фаз. диагр.

CALPHAD: Comput. Coupling Phase Diagrams Thermochem. 1987 11(4), 369-74. (см. Cu-W; I)

W Ag

1991

Hamrick Y. M., Van Zee R. J.,
Weltner W. Jr.,

спектр в матрице

Chem. Phys. Lett., 1991, 181,
N 2-3, 193-200.

ESR of bimetallic transition-metal molecules: Mo and W with

Cu, Ag, and Au.

W Ae. | ОМ 35811 | 1991

Hamrick Y. M., Van Zee R. J.,
Weltner W., Jr.,

спектр в матрице

Chem. Phys. Lett., 1991, 181,
N2-3, 193-200.

ESR of bimetallic transition-
-metal molecules: Mo and W

With Cu, Ag, and Au.

Wlie | OM 35811 | 1991

Hamrick Y.M., Van Zee R.J.,
Weltner W.Jr.,

спектр & ЭПР

Chem. Phys. Lett, 1991,
181, N2-3, 193-200.

ESR of bimetallic transition-
-metal molecules: Mo and

W with Cu, Ag, and Au.