

Bi-R

Bi D (D)

2819-III

1936

Heimer A.

J. A. Physik 103, 621 (1936)

Circ. 500

BiH, Bi D (Be, De) 13 XIII 1757 1966.

Neuhans H.

Z, Naturforsch, a, 1966, 21(12), 2113-14.

Hyperfine structure of BiH and
Bi D bands.

6 refs 6 refs
2006

5

CA, 1967, 67, 14, 16322s

10



XIII-3136
BiH, BiD(u.n.)

1975

Lindgren B., Nilsson Ch.,

J. Mol. Spectrum, 1975, 55(1-3),
407-19.

ECTS CPD 1000

10 (8)

BiD

1991

Urban Rolf-Dieter, Polomsky
Petra, Jones Harold.

u.n.

Chem. Phys. Lett. 1991.
181, NS. C. 485-490.

(cer. ● BiH; III)

F: BiD

P: 3

1999

130:257585 Transition probabilities and
dissociation energy of BiD molecu

Prithivikumaran, N.; Rajamanickam, N.
(Physics Research Centre, VHNSN College,
Virudhunagar 626001, India). Spectrosc.
Lett., 32(1), 31-34 (En 1999 The Franck-
Condon (FC) factors (transition probabilities)
and r-centroid were evaluated by the reliable
numerical integration procedure for the ba the
BO'.fwdarw.XO' system of BiD mol., using a
suitable potential. The d energy for the
electronic ground state of BiD was estd. by
fitting the em potential function to the
exptl. potential energy curve, using
correlatio coeff.