





B-C-R

7428

V4513 1952



Burg A.B.



J. Am. Chem. Soc., 1952, 74, 1340-1

Be

ECTB Q. R.

V 5175

1952



Burg A.B.

J. Am. Chem. Soc., 1952, 74, 3482-5

The mechanism of decomposition of borine
carbonyl.

CA., 1952, 10815h

M.

F

F_3PBH_3 (T_m , T_b , P , ΔH_v , K_p)

✓ 5085
1956


~~BH_3~~ (~~K_p~~); ~~P_3~~ (~~K_p~~); F_3PBD_3 (T_m , T_b , P , ΔH_v)
 $OCBH_3$; $OCBD_3$

Parry R.W., Bissot T.C.


J. Amer. Chem. Soc., 1956, 78, N 8,
1524-1527 (anal)

The preparation and properties
of phosphorus trifluoride-borane and
phosphorus trifluoride-borane- d_3 .

PX., 1957, 4105



K



V 2891

1962

Стерлин Р.Н., Дубов С.С.

Ж. Все хим. об-ва им Д.И. Менделеева,
1962, 7, №1, 117-118.

РЖХ, 1962, 22580

Ю

есть оригинал

V 5112

1963

B_4H_8CO , B_4D_8CO (Tm, ν e, P)

B_5H_{11} (Tm, ν e, P), B_5D_{11} (Tm, P), B_4D_{10} (Tm, P)

Spielman J.R., Burg A.B.

Inorgan Chem., 1963, 2, N 6, 1139-45

Further studies of the tetraborane carbonyl
 B_4H_8CO

PJX., 1965,

Be.

F