

Mo-Oprauk

Mo-omauka

Om. 37 718

1977

Brown D.H.S., Connor J.A.,
et al.,

ΔH_f ,
 ΔH_v

J. Organomet. Chem., 1977,
142, 321-385

Мо-органіка

1989

Gonzalez Alberto A.,

Koff Carl D.

(ΔH,
ΔS)

Inorg. Chem. 1989, 28 (23),
4295-7.

(см.  н-органіка; I)

Мо-отаника

1990

/ 113:139905u Determination of the heat of formation of a 1:1 molybdenum(VI)-malic acid complex using the temperature jump technique. Martire, D. O.; Feliz, M. R.; Capparelli, A. L. (Fac. Cienc. Exactas, Univ. Nac. La Plata, 1900 La Plata, Argent.). *An. Quim.* 1990, 86(2), 117-21 (Span). The heat of formation of $\text{MoO}_3(\text{OH})\text{L}^{3-}$ was detd. from the reaction $\text{MoO}_4^- + \text{L}^- + \text{H}^+$. For LH_2 = malic acid (1:1 complex) the heat value is -21.3 kJ/mol.

(ΔH)

C. A. 1990, 113, N 16.

Мо-органика

1992

Mukerjee S. L., Lang R. F.
et al.

Inorg. Chem. 1992. 31, №23.
с. 4885-4889.

(ΔH)

(сери. В-органика; 7)